

# 0-0-0

SGN

## NUTRI-LITE



### GUARANTEED ANALYSIS

Item Number: 2240100

Iron (Fe) .....	0.11%
Manganese (Mn) .....	0.06%
0.06% Soluble Manganese (Mn)	
Zinc (Z).....	0.06%
Derived From:	
Iron Oxide, Ferrous Sulfate, Manganese Chloride, Manganese Sulfate, Zinc Oxide, Zinc Sulfate.	
Salt Index: 4.67	Bulk Density: 89.89
<b>Net Weight 50 lbs (22.70 kg)</b>	

NUTRIENT CALCULATIONS WITH SPREADER SETTINGS			
Product	Low Rate	Medium Rate	High Rate
0-0-0 SGN	0.0 lbs per 1,000 sq ft	0.0 lbs per 1,000 sq ft	0.0 lbs per 1,000 sq ft
Lbs Nutrients/ 1000 sq ft	N-0.00 P-0.00 K-0.00	N-0.00 P-0.00 K-0.00	N-0.00 P-0.00 K- 0.00
Rotary Spreader	Settings	Settings	Settings
Bigfoot	Q	R	Z
Earthway 2400	21	21	25
Scotts R8A	R	S	Z
Lesco 00600	O	P	S
Spyker	7.25	8	10
Bulk Spreader	Settings	Settings	Settings
Lely W	6R	6T	6T
Vicon 402	51	51	57
Speed Applied: 6 mph			

Note: These Spreader Settings are approximate and can be influenced by other atmospheric conditions and contributing factors. It is impossible to be 100% accurate. It is wise to set your spreader to a low rate and then measure the coverage of only one pound of turf food. If you are under applying, increase the rate; If you are over applying, decrease the rate. If in doubt it is better to under-apply than to over-apply and use formulations with more controlled releases, especially during hot, dry conditions. Vogel Seed & Fertilizer Inc. makes no warranty as to the uniformity of coverage actually obtained from the settings listed.

### How to Use \*

For optimum performance, begin spring applications just before soil temperatures reach 50 degrees F. Although nitrogen can be applied at the rate of 1.0 lb per 1,000 sq. ft. every 8 weeks, it is also recommended that lighter, half-rate applications be made each month, especially during hot, dry periods. Continue scheduled feedings throughout the growing season until soil temperature retreats to below 50 degrees F. Late fall and dormant feedings are recommended after soil temperatures remain below 50 degrees F for several consecutive days and turf growth has slowed considerably.

Apply product evenly with a calibrated spreader. For best results, apply before rainfall or irrigate immediately after application.

\*Southern turf grasses, including St. Augustine and hybrid Bermuda grasses may require higher levels of nitrogen for optimum performance.

### General Information

This product is a highly versatile premium mini-sized fertilizer that is ideal for the nutrient demands of top quality turf management. The precise balance of nutrients promotes a superior, sustained color response that produces the visual appeal turf professionals desire.

### KEEP OUT OF REACH OF CHILDREN

**Caution:** May cause irritation. On contact with skin or Eyes flush with plenty of water.

**NEVER FERTILIZE WHEN THE GRASS IS MOIST  
ALWAYS CLEAN OUT SPREADER AFTER EACH USE**